

YIYI TOOLS



WWW.YIYITOOLS.COM

RUBBER MALLE
DEAD BLOW HAMMER
INSTALL HAMMER
STEEL HAMMER
BIG HAMMER

CHANGZHOU YIYI TOOLS FACTORY

T E L : +86-519-83188317/83181981

M P : +86-0-15061117666

F A X : +86-519-83189423

E M A I L : jack.chen@yiyitools.com

A D D : Ren ge Village, Xue jia Town, Xin bei District, Chang zhou, China

P. C. : 213000



professional
tools factory



Changzhou Yiyi Tools Factory(Wujin Lvshu Tools Factory) is an extroversive enterprise with 20 years of professional experience in the production and sale all kinds of rubber hammer, dead blow rubber hammer, plastic dead blow rubber hammer, hammer with plastic, rubber hammer and the installation of the rubber and plastics products. After years of efforts, the size of the enterprise expanding continuously.

The production of our factory sells in distant markets area of Europe, American, Australia and Southeast Asia etc. The production with quality stands up to the most rigorous test and the price is competitive. Our factory has the very high prestige in the merchant with delivers promptly.

The business goal of our company is "professional surmounting, unceasingly development", and follows close on the step of the international market frequently, develops the new product diligently. Welcome customers from all over the world to visit our factory. We expecting to cooperate with new and old friends for development!

General manager: Jack chen
MP: 86-0-15061117666



Always Progress
Always Surnass

WWW.YIYITOOLS.COM

New Design For Handle





CONTENT



01-09

Steel hammer



Rubber hammer

10-14

Steel hammer



Rubber hammer

15-21

Steel hammer



Rubber hammer

22-26

Steel hammer



Rubber hammer

27-32

Traditional style



34-51

52-54



52-54

**ALWAYS PROGRESS
ALWAYS SURPASS**



YY CLAW HAMMER

CLAW HAMMER

- One piece American type claw hammer

16oz	YY15S030
20oz	YY15S031
24oz	YY15S032

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
16oz	38×29×29	6/36pc	22/23
20oz	39×31×31	6/36pc	27/28
24oz	39×33×32	6/36pc	30/31



CLAW HAMMER

8oz	YY15S016
12oz	YY15S017
16oz	YY15S018
20oz	YY15S019
24oz	YY15S020

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
8oz	33×25×32	6/48pc	20/21
12oz	37×29×36	6/48pc	21/22
16oz	38×29×29	6/36pc	22/23
20oz	39×31×31	6/36pc	27/28
24oz	39×33×32	6/36pc	30/31



CLAW HAMMER

- British type claw hammer

8oz	YY15S021
12oz	YY15S022
16oz	YY15S023
20oz	YY15S024
24oz	YY15S025

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
8oz	33×25×32	6/48pc	20/21
12oz	37×29×36	6/48pc	21/22
16oz	38×29×29	6/36pc	22/23
20oz	39×31×31	6/36pc	27/28
24oz	39×33×32	6/36pc	30/31



CLAW HAMMER

- Tubular steel strikes a good balance between structural strength and production cost.

8oz	YY15S026
12oz	YY15S027
16oz	YY15S028
20oz	YY15S029

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
8oz	33×25×32	6/48pc	20/21
12oz	37×29×36	6/48pc	21/22
16oz	38×29×29	6/36pc	22/23
20oz	39×31×31	6/36pc	27/28



BALL PEIN HAMMER

8oz	YY15S033
12oz	YY15S034
16oz	YY15S035
20oz	YY15S036
24oz	YY15S037
32oz	YY15S038
40oz	YY15S039

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
8oz	47×34×19	6/60pc	20/21
12oz	36×22×29	6/36pc	19/20
16oz	39×24×31	6/36pc	24/25
24oz	42×27×32	6/36pc	33/34
32oz	44×30×26	6/24pc	30/31
40oz	46×31×27	6/24pc	36/37



BALL PEIN HAMMER

8oz	YY15S040
12oz	YY15S041
16oz	YY15S042
20oz	YY15S043
24oz	YY15S044
32oz	YY15S045
40oz	YY15S046

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
8oz	47×34×19	6/60pc	20/21
12oz	36×22×29	6/36pc	19/20
16oz	39×24×31	6/36pc	24/25
24oz	42×27×32	6/36pc	33/34
32oz	44×30×26	6/24pc	30/31
40oz	46×31×27	6/24pc	36/37



- Polished head with anti-rust oil which resist to moisture and rust.

- Durable fiberglass handle is a synthetic material that is stronger than traditional timber

- New design for handle, comfort grip.

- High quality glue filled which reduce striking force of the hammer.



8oz	YY15S001
12oz	YY15S002
16oz	YY15S003
20oz	YY15S004
24oz	YY15S005

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
8oz	33×25×32	6/48pc	20/21
12oz	37×29×36	6/48pc	21/22
16oz	38×29×29	6/36pc	22/23
20oz	39×31×31	6/36pc	27/28
24oz	39×33×32	6/36pc	30/31

Main features of fiberglass handle:

- Rebound function for the handle
- Fiberglass is a synthetic material that is stronger than traditional timber.
- It is very light in weight and its resistance to moisture is a major characteristic.

YY MACHINIST HAMMER



100g	YY15S006	600g	YY15S011
200g	YY15S007	800g	YY15S012
300g	YY15S008	1000g	YY15S013
400g	YY15S009	1500g	YY15S014
500g	YY15S010	2000g	YY15S015

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
100g	30×29×25	6/72pc	14/15
200g	32×23×35	6/60pc	18/19
300g	34×25×34	6/48pc	20/21
400g	37×27×29	6/36pc	21/22
500g	38×27×29	6/36pc	22/23
600g	38×29×31	6/36pc	26/27
800g	42×30×23	6/24pc	23/24
1000g	42×30×25	6/24pc	29/30
1500g	44×33×20	4/16pc	28/29
2000g	47×34×22	4/16pc	35/36

BALL PEIN HAMMER

8oz	YY15S047
12oz	YY15S048
16oz	YY15S049
20oz	YY15S050
24oz	YY15S051
32oz	YY15S052
40oz	YY15S053



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
8oz	47×34×19	6/60pc	20/21
12oz	36×22×29	6/36pc	19/20
16oz	39×24×31	6/36pc	24/25
24oz	42×27×32	6/36pc	33/34
32oz	44×30×26	6/24pc	30/31
40oz	46×31×27	6/24pc	36/37

COPPER HAMMER

1LB	YY15S056
1.5LB	YY15S057
2LB	YY15S058
2.5LB	YY15S059
3LB	YY15S060



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
1LB	37×30×24	6/24PCS	15/17
1.5LB	41×24×32	6/24PCS	20/22
2LB	43×34×24	6/24PCS	22/24
2.5LB	44×40×26	6/24PCS	25/27
3LB	46×28×21	6/12PCS	16/18

COPPER HAMMER

1LB	YY15S061
1.5LB	YY15S062
2LB	YY15S063
2.5LB	YY15S064
3LB	YY15S065



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
1LB	37×30×24	6/24PCS	15/17
1.5LB	41×24×32	6/24PCS	20/22
2LB	43×34×24	6/24PCS	22/24
2.5LB	44×40×26	6/24PCS	25/27
3LB	46×28×21	6/12PCS	16/18


ROOFING HAMMER

600G	YY15S054
------	----------



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
600G	38×37×31	6/36pc	32/33

ROOFING HAMMER



600G	YY15S055
------	----------

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
600G	38×37×31	6/36pc	32/33

COPPER HAMMER

1LB	YY15S066
1.5LB	YY15S067
2LB	YY15S068
2.5LB	YY15S069
3LB	YY15S070



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
1LB	37×30×24	6/24PCS	15/17
1.5LB	41×24×32	6/24PCS	20/22
2LB	43×34×24	6/24PCS	22/24
2.5LB	44×40×26	6/24PCS	25/27
3LB	46×28×21	6/12PCS	16/18

MASON'S HAMMER TYPE B



600G	YY15S072
------	----------

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
600G	38×37×31	6/36pc	32/33

MASON'S HAMMER TYPE R



600G	YY15S074
------	----------

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
600G	38×37×31	6/36pc	32/33

MASON'S HAMMER TYPE B



600G	YY15S073
------	----------

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
600G	38×37×31	6/36pc	32/33

MASON'S HAMMER TYPE R



600G	YY15S075
------	----------

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
600G	38×37×31	6/36pc	32/33

AXE



600G	YY15S071
------	----------

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
600G	38×37×31	6/36pc	32/33

BRICK HAMMER

- Forged from fine grain carbon steel head hardened tempered matt blackpainted head, tube steel with comfortable ergonomics cushion grip.



600G	YY15S076
------	----------

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
600G	38×37×31	6/36pc	32/33



STONING HAMMER

2LB	YY15S088
3LB	YY15S089
4LB	YY15S090



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
2LB	38×29×29	4/16pc	17/18
3LB	39×31×31	4/16pc	25/26
4LB	39×33×32	4/16pc	23/24

STONING HAMMER BRITISH TYPE

800G	YY15S091
1000G	YY15S092
1250G	YY15S093
1500G	YY15S094
2000G	YY15S095



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
800G	33×22×25	4/24pc	22/23
1000G	35×23×28	4/24pc	29/30
1250G	36×24×21	4/24pc	21/22
1500G	36×25×21	4/16pc	26/27
2000G	38×26×23	4/16pc	34/35

STONING HAMMER GERMAN TYPE

800G	YY15S096
1000G	YY15S097
1250G	YY15S098
1500G	YY15S099
2000G	YY15S100



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
800G	33×22×25	4/24pc	22/23
1000G	35×23×28	4/24pc	29/30
1250G	36×24×21	4/24pc	21/22
1500G	36×25×21	4/16pc	26/27
2000G	38×26×23	4/16pc	34/35

BIG HAMMER

6P	YY15S104
8P	YY15S105
10P	YY15S106
12P	YY15S107
16P	YY15S108



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
6P	96×12×16	2/4pc	13/14
8P	97×14×18	2/4pc	18/19
10P	99×15×19	2/4pc	22/23
12P	100×16×20	2/4pc	23/24
16P	102×16×21	2/4pc	30/31

SLEDGE HAMMER

2LB	YY15S101
3LB	YY15S102
4LB	YY15S103

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
2LB	39×25×18	4/16pc	17/18
3LB	43×27×20	4/16pc	25/26
4LB	44×30×18	4/12pc	23/24



YY AXE

600G	YY15S077
------	----------



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
600G	38×37×31	6/36pc	32/33

YY AXE



600G	YY15S078
800G	YY15S079
1000G	YY15S080
1250G	YY15S081
2200G	YY15S082

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
600G	48×21×16	6/24pc	16/17
800G	50×23×17	6/24pc	23/24
1000G	72×25×10	6/12pc	18/19
1250G	63×26×10	6/12pc	27/28
2200G	94X21X26	2/6pc	19/21

YY AXE



600G	YY15S083
800G	YY15S084
1000G	YY15S085
1250G	YY15S086
1500G	YY15S087

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
600G	48×21×16	6/24pc	16/17
800G	50×23×17	6/24pc	23/24
1000G	72×25×10	6/12pc	18/19
1250G	63×26×10	6/12pc	27/28
1500G	94X21X26	4/8pc	22/20

- Forged from fine grain carbon steel head hardened tempered matt black painted head,new design for handle,comfort grip.

RUBBER HAMMER

8oz	YY15R001
12oz	YY15R002
16oz	YY15R003
20oz	YY15R004
24oz	YY15R005
32oz	YY15R006



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
8oz	37×38×29	6/36PCS	14/16
12oz	38×40×30	6/36PCS	16/18
16oz	39×42×24	6/24PCS	16/18
20oz	40×42×26	6/24PCS	18/20
24oz	44×46×29	6/24PCS	22/24
32oz	45×51×30	3/12PCS	12/14

RUBBER HAMMER

8oz	YY15R007
12oz	YY15R008
16oz	YY15R009
20oz	YY15R010
24oz	YY15R011
32oz	YY15R012



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
8oz	37×38×29	6/36PCS	14/16
12oz	38×40×30	6/36PCS	16/18
16oz	39×42×24	6/24PCS	16/18
20oz	40×42×26	6/24PCS	18/20
24oz	44×46×29	6/24PCS	22/24
32oz	45×51×30	3/12PCS	12/14

RUBBER HAMMER

8oz	YY15R013
12oz	YY15R014
16oz	YY15R015
20oz	YY15R016
24oz	YY15R017
32oz	YY15R018



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
8oz	37×38×29	6/36PCS	14/16
12oz	38×40×30	6/36PCS	16/18
16oz	39×42×24	6/24PCS	16/18
20oz	40×42×26	6/24PCS	18/20
24oz	44×46×29	6/24PCS	22/24
32oz	45×51×30	3/12PCS	12/14

RUBBER HAMMER

8oz	YY15R019
12oz	YY15R020
16oz	YY15R021
20oz	YY15R022
24oz	YY15R023
32oz	YY15R024



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
8oz	37×38×29	6/36PCS	14/16
12oz	38×40×30	6/36PCS	16/18
16oz	39×42×24	6/24PCS	16/18
20oz	40×42×26	6/24PCS	18/20
24oz	44×46×29	6/24PCS	22/24
32oz	45×51×30	3/12PCS	12/14

RUBBER HAMMER

8oz	YY15R025
12oz	YY15R026
16oz	YY15R027
20oz	YY15R028
24oz	YY15R029
32oz	YY15R030



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
8oz	37×38×29	6/36PCS	14/16
12oz	38×40×30	6/36PCS	16/18
16oz	39×42×24	6/24PCS	16/18
20oz	40×42×26	6/24PCS	18/20
24oz	44×46×29	6/24PCS	22/24
32oz	45×51×30	3/12PCS	12/14

RUBBER HAMMER

8oz	YY15R031
12oz	YY15R032
16oz	YY15R033
20oz	YY15R034
24oz	YY15R035
32oz	YY15R036



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
8oz	37×38×29	6/36PCS	14/16
12oz	38×40×30	6/36PCS	16/18
16oz	39×42×24	6/24PCS	16/18
20oz	40×42×26	6/24PCS	18/20
24oz	44×46×29	6/24PCS	22/24
32oz	45×51×30	3/12PCS	12/14

YY/ INSTALL HAMMER

- Pu soft hammer hardness shore A80±5

- Anti-skid and oil, resistant percussion

- TPR handle ,comfort grip

- Overall welding, never broken



35mm	YY15I068
40mm	YY15I069
50mm	YY15I070
60mm	YY15I071

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
35mm	37×35×34	6/36PCS	18/20
40mm	39×35×28	6/36PCS	20/22
50mm	43×24×34	6/24PCS	20/22
60mm	44×28×20	6/12PCS	18/20

YY/ DEAD BLOW HAMMER

- 3mm Steel Ball in head will not rebound when hit the ground.

- Plastic handle is not easy bending

- Hammerhead with the handle of one molding.



0.5LB	YY15D056
1LB	YY15D057
1.5LB	YY15D058
2LB	YY15D059
2.5LB	YY15D060
3LB	YY15D061
10LB	YY15D062

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
0.5LB	33×33×27	6/36PCS	18/20
1LB	37×30×24	6/24PCS	15/17
1.5LB	41×24×32	6/24PCS	20/22
2LB	43×34×24	6/24PCS	22/24
2.5LB	44×40×26	6/24PCS	25/27
3LB	46×28×21	6/12PCS	16/18
10LB	103×20×26	2/4PC	18/20



YY BALL PEIN HAMMER

DEAD BLOW HAMMER

0.5LB	YY15D001
1LB	YY15D002
1.5LB	YY15D003
2LB	YY15D004
2.5LB	YY15D005
3LB	YY15D006
4LB	YY15D007
5LB	YY15D008



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
0.5LB	33×33×27	6/36PCS	18/20
1LB	37×30×24	6/24PCS	15/17
1.5LB	41×24×32	6/24PCS	20/22
2LB	43×34×24	6/24PCS	22/24
2.5LB	44×40×26	6/24PCS	25/27
3LB	46×28×21	6/12PCS	16/18
4LB	47×30×22	6/12PCS	22/24
5LB	49×32×24	6/12PCS	25/27

DEAD BLOW HAMMER

0.5LB	YY15D009
1LB	YY15D010
1.5LB	YY15D011
2LB	YY15D012
2.5LB	YY15D013
3LB	YY15D014



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
0.5LB	33×33×27	6/36PCS	18/20
1LB	37×30×24	6/24PCS	15/17
1.5LB	41×24×32	6/24PCS	20/22
2LB	43×34×24	6/24PCS	22/24
2.5LB	44×40×26	6/24PCS	25/27
3LB	46×28×21	6/12PCS	16/18

DEAD BLOW RUBBER MALLET

0.5KG	YY15D015
1KG	YY15D016



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
0.5KG	37×46×45	6/36PCS	18/20
1KG	41×46×28	6/24PCS	20/22

DEAD BLOW OCTAGONAL HAMMER

2LB	YY15D017
4LB	YY15D018
8LB	YY15D019



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
2LB	45×26×36	6/24pc	24/26
4LB	61×32×25	6/12pc	24/26
8LB	103×20×26	2/4pc	22/24

INSTALL HAMMER

20mm	YY15I001
25mm	YY15I002
30mm	YY15I003
35mm	YY15I004
40mm	YY15I005
45mm	YY15I006



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
20mm	36×42×19	6/60PCS	14/16
25mm	36×44×20	6/60PCS	16/18
30mm	37×43×22	6/48PCS	19/21
35mm	37×33×27	6/36PCS	15/17
40mm	39×23×28	6/24PCS	12/14
45mm	40×26×30	6/24PCS	14/16

INSTALL HAMMER

22mm	YY15I007
28mm	YY15I008
35mm	YY15I009
45mm	YY15I010
60mm	YY15I011




SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
22mm	31×19×40	6/60PCS	7/9
28mm	33×21×50	6/60PCS	11/13
35mm	37×24×25	6/24PCS	6/8
45mm	42×26×31	6/24PCS	11/13
60mm	47×30×28	4/16PCS	13/15

- Full polished head with anti-rust oil which resist to moisture and rust.

- Durable fiberglass handle is a synthetic material that is stronger than traditional timber

- New design for handle, comfort grip, rebound function.

- High quality glue filled which reduce striking force of the hammer.



These engineers hammers are precision ground with hardened striking faces to withstand all metalworking tasks.

8oz	YY15S109
12oz	YY15S110
16oz	YY15S111
20oz	YY15S112
24oz	YY15S113
32oz	YY15S114
40oz	YY15S115

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
8oz	47×34×19	6/60pc	20/21
12oz	36×22×29	6/36pc	19/20
16oz	39×24×31	6/36pc	24/25
24oz	42×27×32	6/36pc	33/34
32oz	44×30×26	6/24pc	30/31
40oz	46×31×27	6/24pc	36/37

YY CLAW HAMMER

8oz	YY15S116
12oz	YY15S117
16oz	YY15S118
20oz	YY15S119
24oz	YY15S120



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
8oz	33×25×32	6/48pc	20/21
12oz	37×29×36	6/48pc	21/22
16oz	38×29×29	6/36pc	22/23
20oz	39×31×31	6/36pc	27/28
24oz	39×33×32	6/36pc	30/31



YY RUBBER HAMMER

ROOFING HAMMER

600G	YY12S131			
SPEC.	PACK SIZE	IN/OUTER PC	NW/GW	
600G	38×37×31	6/36pc	32/33	

ROOFING HAMMER

600G	YY12S132			
SPEC.	PACK SIZE	IN/OUTER PC	NW/GW	
600G	38×37×31	6/36pc	32/33	

SLEDGE HAMMER

2LB	YY12S138			
3LB	YY12S139			
4LB	YY12S140			
SPEC.	PACK SIZE	IN/OUTER PC	NW/GW	
2LB	39×25×18	4/16pc	17/18	
3LB	43×27×20	4/16pc	25/26	
4LB	44×30×18	4/12pc	23/24	

SLEDGE HAMMER

2LB	YY12S141			
3LB	YY12S142			
4LB	YY12S143			
SPEC.	PACK SIZE	IN/OUTER PC	NW/GW	
2LB	39×25×18	4/16pc	17/18	
3LB	43×27×20	4/16pc	25/26	
4LB	44×30×18	4/12pc	23/24	

STONING HAMMER

800G	YY12S133			
1000G	YY12S134			
1250G	YY12S135			
1500G	YY12S136			
2000G	YY12S137			
SPEC.	PACK SIZE	IN/OUTER PC	NW/GW	
800G	33×22×25	4/24pc	22/23	
1000G	35×23×28	4/24pc	29/30	
1250G	36×24×21	4/24pc	21/22	
1500G	36×25×21	4/16pc	26/27	
2000G	38×26×23	4/16pc	34/35	

MACHINIST HAMMER

100g	YY12S121			
200g	YY12S122			
300g	YY12S123			
400g	YY12S124			
500g	YY12S125			
600g	YY12S126			
800g	YY12S127			
1000g	YY12S128			
1500g	YY12S129			
2000g	YY12S130			
SPEC.	PACK SIZE	IN/OUTER PC	NW/GW	
100g	30×29×25	6/72pc	14/15	
200g	32×23×35	6/60pc	18/19	
300g	34×25×34	6/48pc	20/21	
400g	37×27×29	6/36pc	21/22	
500g	38×27×29	6/36pc	22/23	
600g	38×29×31	6/36pc	26/27	
800g	42×30×23	6/24pc	23/24	
1000g	42×30×25	6/24pc	29/30	
1500g	44×33×20	4/16pc	28/29	
2000g	47×34×22	4/16pc	35/36	

- RUBBER HAMMER HARDNESS SHORE A85±10

8oz	YY15R037
12oz	YY15R038
16oz	YY15R039
20oz	YY15R040
24oz	YY15R041
32oz	YY15R042

- These all-purpose black rubber mallets are used in the automotive industry and in maintenance workshops where use of a steel hammer may cause damage

- TPR handle comfort grip Anti-skid and oil resistant percussion, these mallets delivery a gentle but firm blow with little rebound



- The advantage of white rubber materials is that no marks are deposited on the work surface

8oz	YY15R043
12oz	YY15R044
16oz	YY15R045
20oz	YY15R046
24oz	YY15R047
32oz	YY15R048

8oz	YY15R049
12oz	YY15R050
16oz	YY15R051
20oz	YY15R052
24oz	YY15R053
32oz	YY15R054



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
8oz	37×38×29	6/36PCS	14/16
12oz	38×40×30	6/36PCS	16/18
16oz	39×42×24	6/24PCS	16/18
20oz	40×42×26	6/24PCS	18/20
24oz	44×46×29	6/24PCS	22/24
32oz	45×51×30	3/12PCS	12/14

DEAD BLOW Mallet

- Hammerhead with the handle of one molding, high intensity, comfort grip
- Embedded special process is not easy falling mallet
- Plastic handle is not easy bending

0.5LB	YY15D028
1LB	YY15D029
2LB	YY15D030



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
0.5LB	33×33×29	6/36PCS	18/20
1LB	37×36×34	6/36PCS	27/29
2LB	43×34×35	6/24PCS	22/24

DEAD BLOW Mallet

- Hammerhead with the handle of one molding, high intensity, comfort grip
- Embedded special process is not easy falling mallet
- Plastic handle is not easy bending

12OZ	YY15D031
24OZ	YY15D032



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
12OZ	39×37×51	12/60PCS	24/26
24OZ	44×48×28	6/24PCS	22/24

COPPER HAMMER

- TPR-handle comfort grip
- Anti-skid and oil resistant percussion
- Copper is soft material

1LB	YY15S144
1.5LB	YY15S145
2LB	YY15S146
2.5LB	YY15S147
3LB	YY15S148



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
1LB	37×30×24	6/24PCS	15/17
1.5LB	41×24×32	6/24PCS	20/22
2LB	43×34×24	6/24PCS	22/24
2.5LB	44×40×26	6/24PCS	25/27
3LB	46×28×21	6/12PCS	16/18

DEAD BLOW HAMMER

- TPR handle comfort grip
- Anti-skid and oil resistant percussion
- 3MM steel ball in head will not rebound when hit the ground

0.5LB	YY15D033
1LB	YY15D034
1.5LB	YY15D035
2LB	YY15D036
3LB	YY15D037



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
0.5LB	33×33×27	6/36PCS	18/20
1LB	37×30×24	6/24PCS	15/17
1.5LB	41×24×32	6/24PCS	20/22
2LB	43×34×24	6/24PCS	22/24
3LB	46×28×21	6/12PCS	16/18

DEAD BLOW HAMMER

0.5LB	YY15D020
1LB	YY15D021
1.5LB	YY15D022
2LB	YY15D023
2.5LB	YY15D024
3LB	YY15D025
4LB	YY15D026
5LB	YY15D027



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
0.5LB	33×33×27	6/36PCS	18/20
1LB	37×30×24	6/24PCS	15/17
1.5LB	41×24×32	6/24PCS	20/22
2LB	43×34×24	6/24PCS	22/24
2.5LB	44×40×26	6/24PCS	25/27
3LB	46×28×21	6/12PCS	16/18
4LB	47×30×22	6/12PCS	22/24
5LB	49×32×24	6/12PCS	25/27

DEAD BLOW HAMMER

0.5LB	YY15D038
1LB	YY15D039
1.5LB	YY15D040
2LB	YY15D041
3LB	YY15D042



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
0.5LB	33×33×27	6/36PCS	18/20
1LB	37×30×24	6/24PCS	15/17
1.5LB	41×24×32	6/24PCS	20/22
2LB	43×34×24	6/24PCS	22/24
3LB	46×28×21	6/12PCS	16/18

YY/ INSTALL HAMMER

- Hammerhead using Zinc Alloy and can be replaced

- TPR-handle comfort grip



- Quality handles intensity tenacity.

- Anti-skid and oil resistant percussion


22mm	YY15I016
28mm	YY15I017
35mm	YY15I018
45mm	YY15I019
60mm	YY15I020

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
22mm	31×19×40	6/60PCS	7/9
28mm	33×21×50	6/60PCS	11/13
35mm	37×24×25	6/24PCS	6/8
45mm	42×26×31	6/24PCS	11/13
60mm	47×30×28	4/16PCS	13/15

YY/ CLAW HAMMER

- Pu soft hammer hardness shore A80±5

- TPR-handle comfort grip



- Overall welding, never broken

- Anti-skid and oil, resistant percussion

35mm	YY15I021
40mm	YY15I022
50mm	YY15I023
60mm	YY15I024

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
35mm	37×35×34	6/36PCS	18/20
40mm	39×35×28	6/36PCS	20/22
50mm	43×24×34	6/24PCS	20/22
60mm	44×28×20	6/12PCS	18/20

YY/ INSTALL HAMMER



20mm	YY15I025
25mm	YY15I026
30mm	YY15I027
35mm	YY15I028
40mm	YY15I029
45mm	YY15I030

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
20mm	36×42×19	6/60PCS	14/16
25mm	36×44×20	6/60PCS	16/18
30mm	37×43×22	6/48PCS	19/21
35mm	37×33×27	6/36PCS	15/17
40mm	39×23×28	6/24PCS	12/14
45mm	40×26×30	6/24PCS	14/16

YY/ INSTALL HAMMER



25mm	YY15I031
30mm	YY15I032
35mm	YY15I033
40mm	YY15I034
45mm	YY15I035

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
25mm	36×44×20	6/60PCS	16/18
30mm	37×43×22	6/48PCS	19/21
35mm	37×33×27	6/36PCS	15/17
40mm	39×23×28	6/24PCS	12/14
45mm	40×26×30	6/24PCS	14/16



CLAW HAMMER

8oz	YY15S159
12oz	YY15S160
16oz	YY15S161
20oz	YY15S162
24oz	YY15S163



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
8oz	33×25×32	6/48pc	20/21
12oz	37×29×36	6/48pc	21/22
16oz	38×29×29	6/36pc	22/23
20oz	39×31×31	6/36pc	27/28
24oz	39×33×32	6/36pc	30/31

BALL PEIN HAMMER

8oz	YY15S164
12oz	YY15S165
16oz	YY15S166
20oz	YY15S167
24oz	YY15S168
32oz	YY15S169
40oz	YY15S170



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
8oz	47×34×19	6/60pc	6/60pc
12oz	36×22×29	6/36pc	6/36pc
16oz	39×24×31	6/36pc	6/36pc
24oz	42×27×32	6/36pc	6/36pc
32oz	44×30×26	6/24pc	6/24pc
40oz	46×31×27	6/24pc	6/24pc

BALL PEIN HAMMER

8oz	YY15S171
12oz	YY15S172
16oz	YY15S173
20oz	YY15S174
24oz	YY15S175
32oz	YY15S176
40oz	YY15S177



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
8oz	47×34×19	6/60pc	20/21
12oz	36×22×29	6/36pc	19/20
16oz	39×24×31	6/36pc	24/25
24oz	42×27×32	6/36pc	33/34
32oz	44×30×26	6/24pc	30/31
40oz	46×31×27	6/24pc	36/37

STONING HAMMER

800G	YY15S178
1000G	YY15S179
1250G	YY15S180
1500G	YY15S181
2000G	YY15S182



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
800G	33×22×25	4/24pc	22/23
1000G	35×23×28	4/24pc	29/30
1250G	36×24×21	4/24pc	21/22
1500G	36×25×21	4/16pc	26/27
2000G	38×26×23	4/16pc	34/35

COPPER HAMMER

- 99%RED COPPER+HICKORY

800G	YY15S183
1000G	YY15S184
1250G	YY15S185
1500G	YY15S186
2000G	YY15S187



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
800G	33×22×25	4/24pc	22/23
1000G	35×23×28	4/24pc	29/30
1250G	36×24×21	4/24pc	21/22
1500G	36×25×21	4/16pc	26/27
2000G	38×26×23	4/16pc	34/35


COPPER HAMMER

- Copper is soft material
99%RED COPPER+HICKORY

1LB	YY15S188
2LB	YY15S189
3LB	YY15S190



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
1LB	37×30×24	6/24PCS	15/17
2LB	43×34×24	6/24PCS	22/24
3LB	46×28×21	6/12PCS	16/18



100g	YY15S149
200g	YY15S150
300g	YY15S151
400g	YY15S152
500g	YY15S153
600g	YY15S154
800g	YY15S155
1000g	YY15S156
1500g	YY15S157
2000g	YY15S158

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
100g	30×29×25	6/72pc	14/15
200g	32×23×35	6/60pc	18/19
300g	34×25×34	6/48pc	20/21
400g	37×27×29	6/36pc	21/22
500g	38×27×29	6/36pc	22/23
600g	38×29×31	6/36pc	26/27
800g	42×30×23	6/24pc	23/24
1000g	42×30×25	6/24pc	29/30
1500g	44×33×20	4/16pc	28/29
2000g	47×34×22	4/16pc	35/36





WOODEN HAMMER

YY15W001

rubber tip



- The whole material is wood and rubber tip is changeable wooden handle is light than other material handle

WOODEN HAMMER

YY15W002



COPPER HAMMER

- Copper is soft material

1LB	YY15S191
1.5LB	YY15S192
2LB	YY15S193
2.5LB	YY15S194
3LB	YY15S195



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
1LB	37×30×24	6/24PCS	15/17
1.5LB	41×24×32	6/24PCS	20/22
2LB	43×34×24	6/24PCS	22/24
2.5LB	44×40×26	6/24PCS	25/27
3LB	46×28×21	6/12PCS	16/18

AXE

600G	YY15S205
800G	YY15S206
1000G	YY15S207
1250G	YY15S208
1500G	YY15S209



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
600G	48×21×16	6/24pc	16/17
800G	50×23×17	6/24pc	23/24
1000G	72×25×10	6/12pc	18/19
1250G	63×26×10	6/12pc	27/28
1500G	94X21X26	4/8pc	22/20

AXE

600G	YY15S196
800G	YY15S197
1000G	YY15S198
1250G	YY15S199
2200G	YY15S200
3000G	YY15S201



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
600G	48×21×16	6/24pc	16/17
800G	50×23×17	6/24pc	23/24
1000G	72×25×10	6/12pc	18/19
1250G	63×26×10	6/12pc	27/28
2200G	94X21X26	2/6pc	19/21
3000G	83×23×19	2/6PCS	22/23


AXE

6P	YY15S202
8P	YY15S203
10P	YY15S204




SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
6P	96×12×16	2/4PCS	13/14
8P	97×14×18	2/4PCS	18/19
10P	99×15×19	2/4PCS	22/23

YY/ INSTALL HAMMER



- QUALITY HICKORY HANDLES
INTENSITY TENACITY


- GENUINE NYLON HAMMER HEAD



35mm	YY15I036
45mm	YY15I037

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
35mm	37×33×27	6/36PCS	15/17
45mm	40×26×30	6/24PCS	14/16

YY/ INSTALL HAMMER



- QUALITY HICKORY HANDLES
INTENSITY TENACITY

- PU SOFT HAMMER HARDNESS SHORE



35mm	YY15I038
45mm	YY15I039

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
35mm	37×24×25	6/24PCS	6/8
45mm	42×26×31	6/24PCS	11/13



YY/ INSTALL HAMMER

RUBBER HAMMER WITH WOODEN HANDLE

8oz	YY15R055
12oz	YY15R056
16oz	YY15R057
20oz	YY15R058
24oz	YY15R059
32oz	YY15R060



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
8oz	37×38×29	6/36PCS	14/16
12oz	38×40×30	6/36PCS	16/18
16oz	39×42×24	6/24PCS	16/18
20oz	40×42×26	6/24PCS	18/20
24oz	44×46×29	6/24PCS	22/24
32oz	45×51×30	3/12PCS	12/14

RUBBER HAMMER WITH WOODEN HANDLE

8oz	YY15R061
12oz	YY15R062
16oz	YY15R063
20oz	YY15R064
24oz	YY15R065
32oz	YY15R066



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
8oz	37×38×29	6/36PCS	14/16
12oz	38×40×30	6/36PCS	16/18
16oz	39×42×24	6/24PCS	16/18
20oz	40×42×26	6/24PCS	18/20
24oz	44×46×29	6/24PCS	22/24
32oz	45×51×30	3/12PCS	12/14

RUBBER HAMMER WITH WOODEN HANDLE

8oz	YY15R067
12oz	YY15R068
16oz	YY15R069
20oz	YY15R070
24oz	YY15R071
32oz	YY15R072



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
8oz	37×38×29	6/36PCS	14/16
12oz	38×40×30	6/36PCS	16/18
16oz	39×42×24	6/24PCS	16/18
20oz	40×42×26	6/24PCS	18/20
24oz	44×46×29	6/24PCS	22/24
32oz	45×51×30	3/12PCS	12/14

RUBBER HAMMER WITH WOODEN HANDLE

8oz	YY15R073
12oz	YY15R074
16oz	YY15R075
20oz	YY15R076
24oz	YY15R077
32oz	YY15R078



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
8oz	42×36×30	6/36PCS	11/13
12oz	42×38×34	6/36PCS	12/14
16oz	43×42×36	6/24PCS	20/22
20oz	44×44×28	6/24PCS	21/23
24oz	44×48×28	6/24PCS	22/24
32oz	46×24×14	3/12PCS	20/22

RUBBER HAMMER WITH WOODEN HANDLE

8oz	YY15R079
12oz	YY15R080
16oz	YY15R081
20oz	YY15R082
24oz	YY15R083
32oz	YY15R084



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
8oz	42×36×30	6/36PCS	11/13
12oz	42×38×34	6/36PCS	12/14
16oz	43×42×36	6/24PCS	20/22
20oz	44×44×28	6/24PCS	21/23
24oz	44×48×28	6/24PCS	22/24
32oz	46×24×14	3/12PCS	20/22

RUBBER HAMMER WITH WOODEN HANDLE

8oz	YY15R085
12oz	YY15R086
16oz	YY15R087
20oz	YY15R088
24oz	YY15R089
32oz	YY15R090



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
8oz	42×36×30	6/36PCS	11/13
12oz	42×38×34	6/36PCS	12/14
16oz	43×42×36	6/24PCS	20/22
20oz	44×44×28	6/24PCS	21/23
24oz	44×48×28	6/24PCS	22/24
32oz	46×24×14	3/12PCS	20/22

- For use on a wide variety of material where no surface marking is required. The head is chrome plated and faces of soft plastic.



- Changeable head is useful for user

- Traditional shaft material hammer handles and is recognised for its ability to absorb impact

22mm	YY15I040
28mm	YY15I041
35mm	YY15I042
45mm	YY15I043
60mm	YY15I044

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
22mm	31×19×40	6/60PCS	7/9
28mm	33×21×50	6/60PCS	11/13
35mm	37×24×25	6/24PCS	6/8
45mm	42×26×31	6/24PCS	11/13
60mm	47×30×28	4/16PCS	13/15

YY/ INSTALL HAMMER



25mm	YY15I045
30mm	YY15I046
35mm	YY15I047
40mm	YY15I048
45mm	YY15I049

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
25mm	36×44×20	6/60PCS	16/18
30mm	37×43×22	6/48PCS	19/21
35mm	37×33×27	6/36PCS	15/17
40mm	39×23×28	6/24PCS	12/14
45mm	40×26×30	6/24PCS	14/16

YY/ INSTALL HAMMER



22mm	YY15I050
------	----------

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
22mm	31×19×40	6/60PCS	7/9



INSTALL HAMMER

80mm	YY15I051
102mm	YY15I052

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
80mm	88×17×12	2/4PCS	14/16
102mm	106×19×24	2/4PCS	20/22



INSTALL HAMMER

- PU soft hammer hardness shore, quality hickory handles intensity tenacity.
- Changeable head is useful for user
- For use on a wide variety of material where no surface marking is required. The head is chrome plated and faces of soft plastic.

30mm	YY15I053
40mm	YY15I054



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
30mm	42×42×33	10/30PCS	14/16
40mm	55×38×36	10/30PCS	21/23



INSTALL HAMMER

20mm	YY15I055
25mm	YY15I056
30mm	YY15I057
35mm	YY15I058
40mm	YY15I059
45mm	YY15I060



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
20mm	36×42×19	6/60PCS	14/16
25mm	36×44×20	6/60PCS	16/18
30mm	37×43×22	6/48PCS	19/21
35mm	37×33×27	6/36PCS	15/17
40mm	39×23×28	6/24PCS	12/14
45mm	40×26×30	6/24PCS	14/16



INSTALL HAMMER

20mm	YY15I061
25mm	YY15I062
30mm	YY15I063
35mm	YY15I064
40mm	YY15I065
45mm	YY15I066



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
20mm	36×42×19	6/60PCS	14/16
25mm	36×44×20	6/60PCS	16/18
30mm	37×43×22	6/48PCS	19/21
35mm	37×33×27	6/36PCS	15/17
40mm	39×23×28	6/24PCS	12/14
45mm	40×26×30	6/24PCS	14/16



INSTALL HAMMER

25mm	YY15I067
30mm	YY15I068
35mm	YY15I069
40mm	YY15I070
45mm	YY15I071



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
25mm	36×44×20	6/60PCS	16/18
30mm	37×43×22	6/48PCS	19/21
35mm	37×33×27	6/36PCS	15/17
40mm	39×23×28	6/24PCS	12/14
45mm	40×26×30	6/24PCS	14/16



INSTALL HAMMER

22mm	YY15I072		
28mm	YY15I073		
35mm	YY15I074		
45mm	YY15I075		
60mm	YY15I076		
SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
22mm	31×19×40	6/60PCS	7/9
28mm	33×21×50	6/60PCS	11/13
35mm	37×24×25	6/24PCS	6/8
45mm	42×26×31	6/24PCS	11/13
60mm	47×30×28	4/16PCS	13/15



RUBBER HAMMER

8OZ	YY15R091
12OZ	YY15R092
16OZ	YY15R093
20OZ	YY15R094
24OZ	YY15R095
32OZ	YY15R096



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
8OZ	37×38×29	6/36PCS	14/16
12OZ	38×40×30	6/36PCS	16/18
16OZ	39×42×24	6/24PCS	16/18
20OZ	40×42×26	6/24PCS	18/20
24OZ	44×46×29	6/24PCS	22/24
32OZ	45×51×30	3/12PCS	12/14



BALL PEIN HAMMER

8OZ	YY15S215
12OZ	YY15S216
16OZ	YY15S217
24OZ	YY15S218
32OZ	YY15S219
40OZ	YY15S220



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
8OZ	47×34×19	6/60PCS	20/21
12OZ	36×22×29	6/36PCS	19/20
16OZ	39×24×31	6/36PCS	24/25
24OZ	42×27×32	6/36PCS	33/34
32OZ	44×30×26	6/24PCS	30/31
40OZ	46×31×27	6/24PCS	36/37



DEAD BLOW HAMMER

0.5LB	YY15D043	
1LB	YY15D044	
1.5LB	YY15D045	
2LB	YY15D046	
2.5LB	YY15D047	
3LB	YY15D048	
4LB	YY15D049	
5LB	YY15D050	

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
0.5LB	33*33*27	6/36PCS	18/20
1LB	37*30*24	6/24PCS	15/17
1.5LB	41*24*32	6/24PCS	20/22
2LB	43*34*24	6/24PCS	22/24
2.5LB	44*40*26	6/24PCS	25/27
3LB	46*28*21	6/12PCS	16/18
4LB	47*30*22	6/12PCS	22/24
5LB	49*32*24	6/12PCS	25/27



MACHINIST HAMMER

100g	YY15S221		
200g	YY15S222		
300g	YY15S223		
400g	YY15S224		
500g	YY15S225		
600g	YY15S226		
800g	YY15S227		
1000g	YY15S228		
1500g	YY15S229		
2000g	YY15S230		
SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
100g	30×29×25	6/72pc	14/15
200g	32×23×35	6/60pc	18/19
300g	34×25×34	6/48pc	20/21
400g	37×27×29	6/36pc	21/22
500g	38×27×29	6/36pc	22/23
600g	38×29×31	6/36pc	26/27
800g	42×30×23	6/24pc	23/24
1000g	42×30×25	6/24pc	29/30
1500g	44×33×20	4/16pc	28/29
2000g	47×34×22	4/16pc	35/36



CLAW HAMMER

8oz	YY15S210		
12oz	YY15S211		
16oz	YY15S212		
20oz	YY15S213		
24oz	YY15S214		
SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
8oz	33×25×32	6/48pc	20/21
12oz	37×29×36	6/48pc	21/22
16oz	38×29×29	6/36pc	22/23
20oz	39×31×31	6/36pc	27/28
24oz	39×33×32	6/36pc	30/31



STONING HAMMER

800G	YY15S231		
1000G	YY15S232		
1250G	YY15S233		
1500G	YY15S234		
2000G	YY15S235		
SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
800G	33*22*25	4/24pc	22/23
1000G	35*23*28	4/24pc	29/30
1250G	36*24*21	4/24pc	21/22
1500G	36*25*21	4/16pc	26/27
2000G	38*26*23	4/16pc	34/35





RUBBER HAMMER


8OZ	YY15R097
12OZ	YY15R098
16OZ	YY15R099
20OZ	YY15R100
24OZ	YY15R101
32OZ	YY15R102



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
8OZ	37×38×29	6/36PCS	14/16
12OZ	38×40×30	6/36PCS	16/18
16OZ	39×42×24	6/24PCS	16/18
20OZ	40×42×26	6/24PCS	18/20
24OZ	44×46×29	6/24PCS	22/24
32OZ	45×51×30	3/12PCS	12/14

DEAD BLOW HAMMER-- DOUBLE COLOR

0.5LB	YY15D051
1LB	YY15D052
1.5LB	YY15D053
2LB	YY15D054
2.5LB	YY15D055
3LB	YY15D056



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
0.5LB	33×33×27	6/36PCS	18/20
1LB	37×30×24	6/24PCS	15/17
1.5LB	41×24×32	6/24PCS	20/22
2LB	43×34×24	6/24PCS	22/24
2.5LB	44×40×26	6/24PCS	25/27
3LB	46×28×21	6/12PCS	16/18

INSTALL HAMMER

20mm	YY15I077
25mm	YY15I078
30mm	YY15I079
35mm	YY15I080
40mm	YY15I081
45mm	YY15I082



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
20mm	36×42×19	6/60PCS	14/16
25mm	36×44×20	6/60PCS	16/18
30mm	37×43×22	6/48PCS	19/21
35mm	37×33×27	6/36PCS	15/17
40mm	39×23×28	6/24PCS	12/14
45mm	40×26×30	6/24PCS	14/16

CLAW HAMMR

8oz	YY15S236
12oz	YY15S237
16oz	YY15S238
20oz	YY15S239
24oz	YY15S240



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
8oz	33×25×32	6/48pc	20/21
12oz	37×29×36	6/48pc	21/22
16oz	38×29×29	6/36pc	22/23
20oz	39×31×31	6/36pc	27/28
24oz	39×33×32	6/36pc	30/31

MACHINIST HAMMER


100g	YY15S247
200g	YY15S248
300g	YY15S249
400g	YY15S250
500g	YY15S251
600g	YY15S252
800g	YY15S253
1000g	YY15S254
1500g	YY15S255
2000g	YY15S256



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
100g	30×29×25	6/72pc	14/15
200g	32×23×35	6/60pc	18/19
300g	34×25×34	6/48pc	20/21
400g	37×27×29	6/36pc	21/22
500g	38×27×29	6/36pc	22/23
600g	38×29×31	6/36pc	26/27
800g	42×30×23	6/24pc	23/24
1000g	42×30×25	6/24pc	29/30
1500g	44×33×20	4/16pc	28/29
2000g	47×34×22	4/16pc	35/36

RUBBER HAMMER

8OZ	YY15R103
12OZ	YY15R104
16OZ	YY15R105
20OZ	YY15R106
24OZ	YY15R107
32OZ	YY15R108



RUBBER HAMMER


8OZ	YY15R105
12OZ	YY15R106
16OZ	YY15R107
20OZ	YY15R108
24OZ	YY15R109
32OZ	YY15R110



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
8OZ	37×38×29	6/36PCS	14/16
12OZ	38×40×30	6/36PCS	16/18
16OZ	39×42×24	6/24PCS	16/18
20OZ	40×42×26	6/24PCS	18/20
24OZ	44×46×29	6/24PCS	22/24
32OZ	45×51×30	3/12PCS	12/14

ROOFING HAMMER

600G	YY15S272
------	----------




SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
600G	38×37×31	6/36pc	32/33

MACHINIST HAMMER

100g	YY15S262
200g	YY15S263
300g	YY15S264
400g	YY15S265
500g	YY15S266
600g	YY15S267
800g	YY15S268
1000g	YY15S269
1500g	YY15S270
2000g	YY15S271

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
100g	30×29×25	6/72pc	14/15
200g	32×23×35	6/60pc	18/19
300g	34×25×34	6/48pc	20/21
400g	37×27×29	6/36pc	21/22
500g	38×27×29	6/36pc	22/23
600g	38×29×31	6/36pc	26/27
800g	42×30×23	6/24pc	23/24
1000g	42×30×25	6/24pc	29/30
1500g	44×33×20	4/16pc	28/29
2000g	47×34×22	4/16pc	35/36



RUBBER HAMMER

8OZ	YY15R109
12OZ	YY15R110
16OZ	YY15R101
20OZ	YY15R102
24OZ	YY15R103
32OZ	YY15R104



CLAW HAMMER


8oz	YY15S257
12oz	YY15S258
16oz	YY15S259
20oz	YY15S260
24oz	YY15S261



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
8oz	33×25×32	6/48pc	20/21
12oz	37×29×36	6/48pc	21/22
16oz	38×29×29	6/36pc	22/23
20oz	39×31×31	6/36pc	27/28
24oz	39×33×32	6/36pc	30/31

BRICK HAMMER

600G	YY15S273
------	----------



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
600G	38×37×31	6/36pc	32/33



INSTALL HAMMER

20mm	YY15I083
25mm	YY15I084
30mm	YY15I085
35mm	YY15I086
40mm	YY15I087
45mm	YY15I088



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
20mm	36×42×19	6/60PCS	14/16
25mm	36×44×20	6/60PCS	16/18
30mm	37×43×22	6/48PCS	19/21
35mm	37×33×27	6/36PCS	15/17
40mm	39×23×28	6/24PCS	12/14
45mm	40×26×30	6/24PCS	14/16

MASON HAMMER --TUBULAR HANDLE



600G	YY15S274		
SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
600G	38x37x31	6/36pc	32/33

INSTALL HAMMER

30mm	YY15I089
------	----------



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
30mm	37×43×22	6/48PCS	19/21

INSTALL HAMMER



30mm	YY15I090		
SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
30mm	37×43×22	6/48PCS	19/21

STONING HAMMER

800G	YY15S275
1000G	YY15S276
1250G	YY15S277
1500G	YY15S278
2000G	YY15S279



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
800G	33×22×25	4/24pc	22/23
1000G	35×23×28	4/24pc	29/30
1250G	36×24×21	4/24pc	21/22
1500G	36×25×21	4/16pc	26/27
2000G	38×26×23	4/16pc	34/35


INSTALL HAMMER



30mm	YY15I091
40mm	YY15I092

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
30mm	42×42×33	10/30PCS	14/16
40mm	55×38×36	10/30PCS	21/23

HAMMER SET



YY15S280

- FRENCH TYPE SET OF HAMMER WITH FIBERGLASS HANDLE
- SIZE:18MM 20MM 25MM

HAMMER SET



YY15I093

- Changeable head for different color

HAMMER SET



YY15S281

- 12OZ Rubber hammer
- 8OZ fantastic ball pein hammer
- 1LB dead blow hammer
- All the handle is new design
- And we apply for the patent
- Sandwich style packing
- Blister card and paper card inside
- Separate packaging size is 44×28×7CM

HAMMER SET



YY15S282

- New handle for set hammer including:
- 600G roofing hammer
- 1KG Stoning hammer
- 300G Machinist hammer
- All the handle is new design
- And we apply for the patent
- Sandwich style packing
- Blister card and paper card inside
- Separate packaging size is 44×28×7CM





YY YY15ART1047

AUTO REPAIR TOOLS

- Hardened and Tempered 52/58 HRC



7PIECE BODY AND FENDER HAMMER SET

- Kit includes
- Chisel end hammer
- Bumping hammer
- Pick hammer
- Shrinking dolly
- Double end dolly
- Curved dolly
- Heel dolly

YY YY15ART1048



YY YY15ART1049




YY YY15ART1050



9PCS AUTO BODY REPAIR KIT

- Shrinking head hammer
- Pick head hammer
- Curved head hammer
- Door skin head hammer
- Universal dolly
- Heel dolly
- Toe dolly
- Long spoon dolly
- Short spoon dolly

YY YY15ART1051



6PCS AUTO BODY REPAIR KIT

- Standard bumping hammer
- Pick hammer
- Dinging dolly
- Toe dolly
- Curved dolly

YY15ART1001



- High quality forged alloy steel with induction hardened
- Highly polished working surface , Top quality American hickory shafts

YY15ART1002



- Domed Anvil Dolly
- Weight:1375grms

YY15ART1003



YY15ART1004



YY15ART1005



YY15ART1006



YY15ART1007



YY15ART1008



- Curved Dolly
- weight :1175grms
- Dollies made from top quality forged steel, heat treated under controlled conditions, ground and polished to a high standard

YY15ART1009



- Angle Dolly
- Weight:615grms

YY15ART1010



- Curved Dolly

YY15ART1011



- Claw Dolly

YY15ART1012



- Grid Dolly
- weight:1335grms

YY15ART1013



- Square dolly

YY15ART1014



- Angle Dolly

YY15ART1015



- Thin Toe Dolly
- weight:940grms

YY15ART1016



- Heel Dolly
- Weight :870grms

YY15ART1017



- Shrinking Dolly
- Weight:1335grms

YY15ART1018



- Bobbin Dolly
- Weight:755grms

YY15ART1019



- Utility Dolly
- Weight:1245grms

YY15ART1020



High quality forged alloy steel with induction hardened
Highly polished working surface , Top quality American hickory shafts



YY15ART1021



- Thin Spoon
- Weight:575grms
- Length:260mm

YY15ART1022



- Pry and surface Spoon
- Weight:850grms
- Length:290mm

YY15ART1023



- General Purpose Spoon
- Weight:1760grms
- LENGHT 420MM Three polished faces concave. convex and right angle

YY15ART1024



YY15ART1025



- Bumping File
- Weight:680grms
- Length:260mm

YY15ART1026



- Slapping Spoon
- Weight:355grms
- Length:260mm

YY15ART1044



YY15ART1045



YY15ART1046





YY15ART1027

Shrinking Hammer

- Weight 420grms
- Flat faced round head and square serrated



YY15ART1028

Pick and Finish hammer

- Weight :410 grms
- Crown faced with round point pick



YY15ART1029

Cross Pein and Finish Hammer

- Weight :430 grms
- Crown faced with round cross pein



YY15ART1030

Bumping File

- Weight:680grms
- Length:260mm



YY15ART1031

Ash wood handle

- Flat Beating Face
- Barrel round face



YY15ART1032

Long Finish Hammer

- Weight 430 grms
- Crown faced



YY15ART1033

- Hardened and tempered 52/58 HRC
- Ash wood handle



YY15ART1034

- Hardened and tempered 52/58 HRC
- Ash wood handle



YY15ART1035

- Hardened and tempered 52/58 HRC
- Ash wood handle
- Weight 320grms Length :295mm AXB :50X30



YY15ART1036

- Hardened and tempered 52/58 HRC
- Ash wood handle
- Weight 290grms Length :308mm 28MM



YY15ART1037

- Hardened and tempered 52/58 HRC
- Ash wood handle



YY15ART1038

- Hardened and tempered 52/58 HRC
- Ash wood handle



YY15ART1039

- Hardened and tempered 52/58 HRC
- Ash wood handle



YY15ART1040

British type chipping hammer



YY15ART1041



YY15ART1042



YY15ART1043



YY CLAW HAMMER

YYART1020

Long Pin for the repair Car
Ball Dia is 20mm,40mm, 60mm,80mm,100mm



YYART1021

Long Pin for the repair Car
Length is 750mm



YYART1022

Long Pin for the repair Car



YYART1023

Long Pin for the repair Car



YYART1024

Long Pin for the repair Car
Size is 40mm 60mm 80mm





Rubber mallet With plastic handle

Rubber mallet With plastic handle



8OZ	YY12B007
12OZ	YY12B008
16OZ	YY12B009
20OZ	YY12B010
24OZ	YY12B011
32OZ	YY12B012



8OZ	YY12W007
12OZ	YY12W008
16OZ	YY12W009
20OZ	YY12W010
24OZ	YY12W011
32OZ	YY12W012



8OZ	YY12BW007
12OZ	YY12BW008
16OZ	YY12BW009
20OZ	YY12BW010
24OZ	YY12BW011
32OZ	YY12BW012

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
8oz	37x38x29	6/36pc	14/16
12oz	38x40x30	6/36pc	16/18
16oz	39x42x24	6/24pc	16/18
20oz	40x42x26	6/24pc	18/20
24oz	44x46x29	6/24pc	22/24
32oz	45x51x30	3/12pc	12/14

Rubber mallet With plastic handle



8OZ	YY12B013
12OZ	YY12B014
16OZ	YY12B015
20OZ	YY12B016
24OZ	YY12B017
32OZ	YY12B018



8OZ	YY12W013
12OZ	YY12W014
16OZ	YY12W015
20OZ	YY12W016
24OZ	YY12W017
32OZ	YY12W018



8OZ	YY12BW013
12OZ	YY12BW014
16OZ	YY12BW015
20OZ	YY12BW016
24OZ	YY12BW017
32OZ	YY12BW018

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
8oz	37x38x29	6/36pc	14/16
12oz	38x40x30	6/36pc	16/18
16oz	39x42x24	6/24pc	16/18
20oz	40x42x26	6/24pc	18/20
24oz	44x46x29	6/24pc	22/24
32oz	45x51x30	3/12pc	12/14



8OZ	YY12B019
12OZ	YY12B020
16OZ	YY12B021
20OZ	YY12B022
24OZ	YY12B023
32OZ	YY12B024



8OZ	YY12BW019
12OZ	YY12BW020
16OZ	YY12BW021
20OZ	YY12BW022
24OZ	YY12BW023
32OZ	YY12BW024



8OZ	YY12B025
12OZ	YY12B026
16OZ	YY12B027
20OZ	YY12B028
24OZ	YY12B029
32OZ	YY12B030



8OZ	YY12BW025
12OZ	YY12BW026
16OZ	YY12BW027
20OZ	YY12BW028
24OZ	YY12BW029
32OZ	YY12BW030



8OZ	YY12W019
12OZ	YY12W020
16OZ	YY12W021
20OZ	YY12W022
24OZ	YY12W023
32OZ	YY12W024

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
8oz	37x38x29	6/36pc	14/16
12oz	38x40x30	6/36pc	16/18
16oz	39x42x24	6/24pc	16/18
20oz	40x42x26	6/24pc	18/20
24oz	44x46x29	6/24pc	22/24
32oz	45x51x30	3/12pc	12/14



8OZ	YY12W025
12OZ	YY12W026
16OZ	YY12W027
20OZ	YY12W028
24OZ	YY12W029
32OZ	YY12W030

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
8oz	37x38x29	6/36pc	14/16
12oz	38x40x30	6/36pc	16/18
16oz	39x42x24	6/24pc	16/18
20oz	40x42x26	6/24pc	18/20
24oz	44x46x29	6/24pc	22/24
32oz	45x51x30	3/12pc	12/14



8OZ	YY12B031
12OZ	YY12B032
16OZ	YY12B033
20OZ	YY12B034
24OZ	YY12B035
32OZ	YY12B036



8OZ	YY12BW031
12OZ	YY12BW032
16OZ	YY12BW033
20OZ	YY12BW034
24OZ	YY12BW035
32OZ	YY12BW036



8OZ	YY12W031
12OZ	YY12W032
16OZ	YY12W033
20OZ	YY12W034
24OZ	YY12W035
32OZ	YY12W036

Rubber mallet With Fiberglass handle



8OZ	YY12B037
12OZ	YY12B038
16OZ	YY12B039
20OZ	YY12B040
24OZ	YY12B041
32OZ	YY12B042



8OZ	YY12BW037
12OZ	YY12BW038
16OZ	YY12BW039
20OZ	YY12BW040
24OZ	YY12BW041
32OZ	YY12BW042



8OZ	YY12W037
12OZ	YY12W038
16OZ	YY12W039
20OZ	YY12W040
24OZ	YY12W041
32OZ	YY12W042

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
8oz	37x38x29	6/36pc	14/16
12oz	38x40x30	6/36pc	16/18
16oz	39x42x24	6/24pc	16/18
20oz	40x42x26	6/24pc	18/20
24oz	44x46x29	6/24pc	22/24
32oz	45x51x30	3/12pc	12/14



8OZ	YY12B043
12OZ	YY12B044
16OZ	YY12B045
20OZ	YY12B046
24OZ	YY12B047
32OZ	YY12B048



8OZ	YY12W043
12OZ	YY12W044
16OZ	YY12W045
20OZ	YY12W046
24OZ	YY12W047
32OZ	YY12W048



8OZ	YY12BW043
12OZ	YY12BW044
16OZ	YY12BW045
20OZ	YY12BW046
24OZ	YY12BW047
32OZ	YY12BW048

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
8oz	37x38x29	6/36pc	14/16
12oz	38x40x30	6/36pc	16/18
16oz	39x42x24	6/24pc	16/18
20oz	40x42x26	6/24pc	18/20
24oz	44x46x29	6/24pc	22/24
32oz	45x51x30	3/12pc	12/14

Rubber mallet With Steel handle



8OZ	YY12B049
12OZ	YY12B050
16OZ	YY12B051
20OZ	YY12B052
24OZ	YY12B053
32OZ	YY12B054



8OZ	YY12BW049
12OZ	YY12BW050
16OZ	YY12BW051
20OZ	YY12BW052
24OZ	YY12BW053
32OZ	YY12BW054




8OZ	YY12W049
12OZ	YY12W050
16OZ	YY12W051
20OZ	YY12W052
24OZ	YY12W053
32OZ	YY12W054

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
8oz	34x35x50	12/60pc	25/27
12oz	35x37x51	12/60pc	28/30
16oz	40x35x46	10/40pc	27/29
20oz	42x37x48	10/40pc	28/30
24oz	42x40x41	10/30pc	30/32
32oz	43x55x30	6/24pc	30/32



Dead blow rubber mallet

Dead blow rubber mallet



This rubber mallet for TILERS, FURNITURE-ASSEMBLERS, MECHANICS



Main features
Exclusive design
Shock- resistant and stainless rubber single-piece body
Steel core
Silicon rubber cosmetic o-rings. Embedded in handle

Dead blow mallet



0.5LB	YY12DB021
1LB	YY12DB022
1.5LB	YY12DB023
2LB	YY12DB024
2.5LB	YY12DB025
3LB	YY12DB026

Dead blow mallet



0.5LB	YY12DB027
1LB	YY12DB028
1.5LB	YY12DB029
2LB	YY12DB030
2.5LB	YY12DB031
3LB	YY12DB032

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
0.5LB	33X33X27	6 /36PC	18/20
1LB	37X30X24	6/24PC	15/17
1.5LB	41X24X32	6/24PC	20/22
2LB	43X34X24	6/24PC	22/24
2.5LB	44X40X26	6/24PC	25/27
3LB	46X28X21	6/12PC	16/18

Dead blow mallet



0.5LB	YY12DB033
1LB	YY12DB034
1.5LB	YY12DB035
2LB	YY12DB036
2.5LB	YY12DB037
3LB	YY12DB038

Dead blow mallet



0.5LB	YY12DB039
1LB	YY12DB040
1.5LB	YY12DB041
2LB	YY12DB042
2.5LB	YY12DB043
3LB	YY12DB044

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
0.5LB	33X33X27	6 /36PC	18/20
1LB	37X30X24	6/24PC	15/17
1.5LB	41X24X32	6/24PC	20/22
2LB	43X34X24	6/24PC	22/24
2.5LB	44X40X26	6/24PC	25/27
3LB	46X28X21	6/12PC	16/18



Dead blow mallet



0.5LB	YY12DB045
1LB	YY12DB046
1.5LB	YY12DB047
2LB	YY12DB048
2.5LB	YY12DB049
3LB	YY12DB050
4LB	YY12DB051
5LB	YY12DB052

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
0.5LB	33X33X27	6 /36PC	18/20
1LB	37X30X24	6/24PC	15/17
1.5LB	41X24X32	6/24PC	20/22
2LB	43X34X24	6/24PC	22/24
2.5LB	44X40X26	6/24PC	25/27
3LB	46X28X21	6/12PC	16/18
4LB	47X30X22	6/12PC	22/24
5LB	49X32X24	6/12PC	25/27

Dead blow mallet



0.5LB	YY12DB053
1LB	YY12DB054
1.5LB	YY12DB055
2LB	YY12DB056
2.5LB	YY12DB057
3LB	YY12DB058
4LB	YY12DB059
5LB	YY12DB060

Dead blow mallet



0.5LB	YY12DB061
1LB	YY12DB062
1.5LB	YY12DB063
2LB	YY12DB064
3LB	YY12DB065
10LB	YY12DB066

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
0.5LB	33X33X27	6 /36PC	18/20
1LB	37X30X24	6/24PC	15/17
1.5LB	41X24X32	6/24PC	20/22
2LB	43X34X24	6/24PC	22/24
3LB	46X28X21	6/12PC	16/18
10LB	103X20X26	2/4PC	18/20

Dead blow mallet



0.5LB	YY12DB067
1LB	YY12DB068
1.5LB	YY12DB069
2LB	YY12DB070
3LB	YY12DB071
10LB	YY12DB072

Dead blow mallet



0.5LB	YY12DB073
1LB	YY12DB074
1.5LB	YY12DB075
2LB	YY12DB076
3LB	YY12DB077

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
0.5LB	33X33X27	6 /36PC	18/20
1LB	37X30X24	6/24PC	15/17
1.5LB	41X24X32	6/24PC	20/22
2LB	43X34X24	6/24PC	22/24
3LB	46X28X21	6/12PC	16/18

Dead blow mallet



0.5LB	YY12DB078
1LB	YY12DB079
1.5LB	YY12DB080
2LB	YY12DB081
3LB	YY12DB082

Install hammer



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
22mm	31x19x40	6/60pc	7/9
28mm	33x21x50	6/60pc	11/13
35mm	37x24x25	6/24pc	6/8
45mm	42x26x31	6/24pc	11/13
60mm	47x30x28	4/16pc	13/15

22mm	YY12I003
28mm	YY12I004
35mm	YY12I005
45mm	YY12I006
60mm	YY12I007

Hammerhead using Zinc Alloy and can be replaced
Quality handles intensity tenacity.
TPR-handle comfort grip
Anti-skid and oil resistant percussion



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
1LB	37X30X24	6/24PC	15/17
1.5LB	41X24X32	6/24PC	20/22
2LB	43X34X24	6/24PC	22/24
2.5LB	44X40X26	6/24PC	25/27
3LB	46X28X21	6/12PC	16/18

1LB	YY12I008
1.5LB	YY12I009
2LB	YY12I010
2.5LB	YY12I011
3LB	YY12I012

TPR-handle comfort grip
Anti-skid and oil resistant percussion
Copper is soft material



Install hammer



PU soft hammer hardness shore,quality hickory handles intensity tenacity
PU soft hammer hardness shore.overall welding,never broken,TPR handle comfort grip,antskid and oil,resistant percussion.

30mm	YY12I001
40mm	YY12I002

Changeable head is useful for user.



For use on a wide variety of material where no surface marking is required.The head is chrome plated and faces of soft plastic.Fiberglass shaft with comfortable grip.

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
30mm	42x42x33	10/30pc	14/16
40mm	55x38x36	10/30pc	21/23

Install hammer



30mm	YY12I003
40mm	YY12I004

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
30mm	42x42x33	10/30pc	14/16
40mm	55x38x36	10/30pc	21/23

Install hammer



25mm	YY12I005
30mm	YY12I006
35mm	YY12I007
40mm	YY12I008
45mm	YY12I009

Install hammer



20mm	YY12I010
25mm	YY12I011
30mm	YY12I012
35mm	YY12I013
40mm	YY12I014
45mm	YY12I015

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
20mm	36x42x19	6/60pc	14/16
25mm	36X44X20	6/60pc	16/18
30mm	37X43X22	6/48pc	19/21
35mm	37X33X27	6/36pc	15/17
40mm	39X23X28	6/24pc	12/14
45mm	40X26X30	6/24pc	14/16

Install hammer



22mm	YY12I016
28mm	YY12I017
35mm	YY12I018
45mm	YY12I019
60mm	YY12I020

Install hammer



25mm	YY12I021
30mm	YY12I022
35mm	YY12I023
40mm	YY12I024
45mm	YY12I025

Install hammer



20mm	YY12I026
25mm	YY12I027
30mm	YY12I028
35mm	YY12I029
40mm	YY12I030
45mm	YY12I031

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
22mm	31x19x40	6/60pc	7/9
28mm	33x21x50	6/60pc	11/13
35mm	37x24x25	6/24pc	6/8
45mm	42x26x31	6/24pc	11/13
60mm	47x30x28	4/16pc	13/15



Copper hammer



1LB	YY12I032
1.5LB	YY12I033
2LB	YY12I034
2.5LB	YY12I035
3LB	YY12I036

Copper hammer



1LB	YY12I037
1.5LB	YY12I038
2LB	YY12I039
2.5LB	YY12I040
3LB	YY12I041

Copper hammer



1LB	YY12I042
1.5LB	YY12I043
2LB	YY12I044
2.5LB	YY12I045
3LB	YY12I046


SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
1LB	37X30X24	6/24PC	15/17
1.5LB	41X24X32	6/24PC	20/22
2LB	43X34X24	6/24PC	22/24
2.5LB	44X40X26	6/24PC	25/27
3LB	46X28X21	6/12PC	16/18

Copper hammer



1LB	YY12I047
1.5LB	YY12I048
2LB	YY12I049
2.5LB	YY12I050
3LB	YY12I051

Copper hammer



1LB	YY12I052
1.5LB	YY12I053
2LB	YY12I054
2.5LB	YY12I055
3LB	YY12I056

Copper hammer




1LB	YY12I057
1.5LB	YY12I058
2LB	YY12I059
2.5LB	YY12I060
3LB	YY12I061

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
1LB	37X30X24	6/24PC	15/17
1.5LB	41X24X32	6/24PC	20/22
2LB	43X34X24	6/24PC	22/24
2.5LB	44X40X26	6/24PC	25/27
3LB	46X28X21	6/12PC	16/18

Install Hammer

PU soft hammer Hardness shore A80±5



Anti-skid and oil, resistant percussion


Overall welding, never broken

35mm	YY12I062
40mm	YY12I063
50mm	YY12I064
60mm	YY12I065

TPR handle, comfort grip

Install Hammer

PU soft hammer Hardness shore A80±5



Anti-skid and oil, resistant percussion

Overall welding, never broken

35mm	YY12I066
40mm	YY12I067
50mm	YY12I068
60mm	YY12I069

TPR handle, comfort grip

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
35mm	37X35X34	6/36PC	18/20
40mm	39x35x28	6/36PC	20/22
50mm	43X24X34	6/24PC	20/22
60mm	44X28X20	6/12PC	18/20



Install hammer



PU soft hammer hardness shore,quality hickory handles intensity tenacity
PU soft hammer hardness shore.overall welding,never broken,TPR handle comfort grip,antskid and oil,resistant percussion.

30mm	YY12I070
40mm	YY12I071

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
30mm	42x42x33	10/30pc	14/16
40mm	55x38x36	10/30pc	21/23

Install hammer



30mm	YY12I072
40mm	YY12I073

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
30mm	42x42x33	10/30pc	14/16
40mm	55x38x36	10/30pc	21/23


Install hammer



30mm	YY12I074
40mm	YY12I075

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
30mm	42x42x33	10/30pc	14/16
40mm	55x38x36	10/30pc	21/23

Install hammer



22mm	YY12I076
28mm	YY12I077
35mm	YY12I078
45mm	YY12I079
60mm	YY12I080

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
22mm	31x19x40	6/60pc	7/9
28mm	33x21x50	6/60pc	11/13
35mm	37x24x25	6/24pc	6/8
45mm	42x26x31	6/24pc	11/13
60mm	47x30x28	4/16pc	13/15

Install hammer



22mm	YY12I081
28mm	YY12I082
35mm	YY12I083
40mm	YY12I084
50mm	YY12I085
60mm	YY12I086

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
22mm	32x27x26	10/60pc	16/18
28mm	35x30x33	10/60pc	18/10
35mm	37x32x24	6/36pc	14/16
40mm	39x23x28	6/24pc	14/16
50mm	43x26x34	6/24pc	18/20
60mm	45x28x20	6/12pc	14/16

Install hammer



30mm	YY12I087
40mm	YY12I088

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
30mm	42x42x33	10/30pc	14/16
40mm	55x38x36	10/30pc	21/23

Changeable head is useful for user.

Hammerhead using Zinc Alloy and can be replaced
Quality handles intensity tenacity.
PU soft hammer hardness shore,quality hickory handles intensity tenacity
PU soft hammer hardness shore.overall welding,never broken,TPR handle comfort grip,antskid and oil,resistant percussion.



Install hammer



		SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
20mm	YY12I089	20mm	36x42x19	6/60pc	14/16
25mm	YY12I090	25mm	36X44X20	6/60pc	16/18
30mm	YY12I091	30mm	37X43X22	6/48pc	19/21
35mm	YY12I092	35mm	37X33X27	6/36pc	15/17
40mm	YY12I093	40mm	39X23X28	6/24pc	12/14
45mm	YY12I094	45mm	40X26X30	6/24pc	14/16

Install hammer



20mm	YY12I095
25mm	YY12I096
30mm	YY12I097
35mm	YY12I098
40mm	YY12I099
45mm	YY12I100

Install hammer



		SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
20mm	YY12I101	20mm	36x42x19	6/60pc	14/16
25mm	YY12I102	25mm	36X44X20	6/60pc	16/18
30mm	YY12I103	30mm	37X43X22	6/48pc	19/21
35mm	YY12I104	35mm	37X33X27	6/36pc	15/17
40mm	YY12I105	40mm	39X23X28	6/24pc	12/14
45mm	YY12I106	45mm	40X26X30	6/24pc	14/16

Install hammer



20mm	YY12I107
25mm	YY12I108
30mm	YY12I109
35mm	YY12I110
40mm	YY12I111
45mm	YY12I112

Install hammer



		SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
20mm	YY12I113	20mm	36x42x19	6/60pc	14/16
25mm	YY12I114	25mm	36X44X20	6/60pc	16/18
30mm	YY12I115	30mm	37X43X22	6/48pc	19/21
35mm	YY12I116	35mm	37X33X27	6/36pc	15/17
40mm	YY12I117	40mm	39X23X28	6/24pc	12/14
45mm	YY12I118	45mm	40X26X30	6/24pc	14/16

Install hammer



20mm	YY12I119
25mm	YY12I120
30mm	YY12I121
35mm	YY12I122
40mm	YY12I123
45mm	YY12I124

Copper hammer



1LB	YY12I125
1.5LB	YY12I126
2LB	YY12I127
2.5LB	YY12I128
3LB	YY12I129

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
1LB	37X30X24	6/24PC	15/17
1.5LB	41X24X32	6/24PC	20/22
2LB	43X34X24	6/24PC	22/24
2.5LB	44X40X26	6/24PC	25/27
3LB	46X28X21	6/12PC	16/18

Copper hammer



1LB	YY12I130
1.5LB	YY12I131
2LB	YY12I132
2.5LB	YY12I133
3LB	YY12I134

Install hammer



25mm	YY12I135
30mm	YY12I136
35mm	YY12I137
40mm	YY12I138
45mm	YY12I139

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
25mm	36X44X20	6/60pc	16/18
30mm	37X43X22	6/48pc	19/21
35mm	37X33X27	6/36pc	15/17
40mm	39X23X28	6/24pc	12/14
45mm	40X26X30	6/24pc	14/16

Install hammer



25mm	YY12I140
30mm	YY12I141
35mm	YY12I142
40mm	YY12I143
45mm	YY12I144

Install hammer



22mm	YY12I145
28mm	YY12I146
35mm	YY12I147
45mm	YY12I148
60mm	YY12I149

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
22mm	31x19x40	6/60pc	7/9
28mm	33x21x50	6/60pc	11/13
35mm	37x24x25	6/24pc	6/8
45mm	42x26x31	6/24pc	11/13
60mm	47x30x28	4/16pc	13/15

Install hammer



22mm	YY12I150
28mm	YY12I151
35mm	YY12I152
45mm	YY12I153
60mm	YY12I154



Camping hammer

YY12S155



YY12S156





YY12S157



YY12S158



Packaging :Outer box :34x30x34CM



YY12S159



The use of the hammer

Percussion does not damage the surface
Resistant percussion Anti-skid and oil resistant
percussion
Comfort grip internal hammer with steel ball Percussion
does not rebound

Changeable head for different color

YY12S212



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
4-1	53x17x28	6/12pc	7/9



YY12S211



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
SET	42x47x34	3/12pc	20/22



Fantastic Claw hammer

YY12S213

Plastic folder



YY12S214



YY12S214



7PCS Autobody repair kit with different handle ,plastic box
Handle kinds including fiberglass,wooden,plastic



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
7PCS	37x34x28	1/4pc	19/20

YY12S215

7PCS Autobody repair kit with different handle ,plastic box
Handle kinds including fiberglass,wooden,plastic




YY12S216



YY12S217

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
7PCS	37x34x28	1/4pc	19/20

Big hammer



6P	YY12S218
8P	YY12S219
10P	YY12S220
12P	YY12S221
16P	YY12S222

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
6P	96x12x16	2/4pc	13/14
8P	97x14x18	2/4pc	18/19
10P	99x15x19	2/4pc	22/23
12P	100x16x20	2/4pc	23/24
16P	102x16x21	2/4pc	30/31



6P	YY12S223
8P	YY12S224
10P	YY12S225

Big hammer

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
6P	96x12x16	2/4pc	13/14
8P	97x14x18	2/4pc	18/19
10P	99x15x19	2/4pc	22/23



6P	YY12S226
8P	YY12S227
10P	YY12S228

Big hammer

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
6P	96x12x16	2/4pc	13/14
8P	97x14x18	2/4pc	18/19
10P	99x15x19	2/4pc	22/23



Dead blow octagonal hammer




SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
2LB	45x26x36	6/24pc	24/26
4LB	61x32x25	6/12pc	24/26
8LB	103x20x26	2/4pc	22/24

2LB	YY12S229
4LB	YY12S230
8LB	YY12S231

Nature rubber
Embedded special process is not easy falling mallet
Resistant percussion
comfort grip

Install Hammer



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
80mm	88x17x12	2/4pc	14/16
102mm	106x19x24	2/4pc	20/22

80mm	YY12S232
102mm	YY12S233

Quality hickory handles Intensity tenacity
Percussion does not damage the surface
Materials are nylon hammer

Dead blow hammer



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
10LB	103x20x26	2/4pc	18/20

10LB	YY12S234
------	----------

Hammerhead with the handle of one molding, high intensity, comfort grip
Embedded special process is not easy falling mallet
Plastic handle is not easy bending

Rubber hammer with wooden handle and plastic handle



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
6KG	107x20x15	2/4pc	24/26

6KG	YY12S235
6KG	YY12S236

SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
80mm	88x17x12	2/4pc	14/16
102mm	106x19x24	2/4pc	20/22

80mm	YY12S237
102mm	YY12S238

Quality hickory handles Intensity tenacity
Percussion does not damage the surface
Materials are nylon hammer



SPEC.	PACK SIZE	IN/OUTER PC	NW/GW
900mm	92x18x20	1/20pc	21/22

900mm	YY12S239
-------	----------

